

METALIST

1. Product and Company Identification

Product Code: 4290
Product Name: METALIST
Revision: 12/28/2017
Supersedes Revision: 02/09/2015

Manufacturer Information:

Company Name: PDQ Manufacturing, Inc. **Phone Number:** (706)636-1848
 201 Victory Circle

Ellijay, GA 30540

Web site address: www.pdqonline.com

Emergency Contact: Chemtrec, Reference: CCN203605 (800)424-9300
Information: info@pdqonline.com (706)636-1848

Supplier Name and Address:

Company Name: PDQ MANUFACTURING, INC. **Phone Number:** 706/636-1848
 201 VICTORY CIRCLE

ELLIJAY, GA 30540

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B

Serious Eye Damage/Eye Irritation, Category 2

Specific Target Organ Toxicity (single exposure), Category 3

Aquatic Toxicity (Acute), Category 3

Aquatic Toxicity (Chronic), Category 3



GHS Signal Word: **Danger**

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.
 H319 - Causes serious eye irritation.
 H335 - May cause respiratory irritation.
 H412 - Harmful to aquatic life with long lasting effects.

GHS Precaution Phrases: P261 - Avoid breathing dust.
 P264 - Wash hands thoroughly after handling.
 P271 - Use only outdoors or in a well-ventilated area.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.
 P310 - Immediately call a POISON CENTER or doctor/physician.
 P321 - Specific treatment see appropriate section of the SDS.
 P337+313 - If eye irritation persists, get medical advice/attention.
 P363 - Wash contaminated clothing before reuse.

SAFETY DATA SHEET**METALIST**

GHS Storage and Disposal Phrases: P405 - Store locked up.
P501 - Dispose of contents/container to trash after rinsing container.

Potential Health Effects (Acute and Chronic):

Inhalation: Harmful if inhaled. Causes respiratory tract irritation.

Skin Contact: Causes severe skin irritation and burns.

Eye Contact: Causes eye irritation. Lachrymator (substance which increases the flow of tears).
Causes eye burns.

Ingestion: May cause irritation of the digestive tract. Harmful if swallowed. Causes burns.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	10.0 -30.0 %
51580-86-0	1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt {Dichloroisocyanuric acid sodium salt dihydrate}	< 2.0 %

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Consult a physician.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

In Case of Ingestion: Get medical aid. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of Exposure: Burning sensation, Breathing dusts from the use of this product may be harmful. Wheezing, Laryngitis, Shortness of breath.

5. Fire Fighting Measures

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. Use water spray, dry chemical, carbon dioxide, or appropriate foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry powder.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Wear self contained breathing apparatus for fire fighting if necessary.

Flammable Properties and Hazards: Carbon oxides, nitrogen oxides (NO_x), Hydrogen chloride gas, Sodium oxides.

METALIST

6. Accidental Release Measures**Protective Precautions,
Protective Equipment and
Emergency Procedures:**

Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.
For personal protection see section 8.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Discharge into the environment must be avoided. Methods and materials for containment
and cleaning up: Sweep up and shovel. Contain spillage, and then collect with an
electrically protected vacuum cleaner or by wet-brushing and place in container for
disposal according to local regulations (see section 13). Do not flush with water. Keep in
suitable, closed containers for disposal.

**Steps To Be Taken In Case
Material Is Released Or
Spilled:**

Use proper personal protective equipment as indicated in Section 8.
Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container.
(See Exposure Controls, Personal Protection section). Do not let this chemical enter the
environment. Personal precautions.
Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure
adequate ventilation. Evacuate personnel to safe areas.
Environmental precautions.
Do not let product enter drains.

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers
for disposal.

7. Handling and Storage**Precautions To Be Taken in
Handling:**

Minimize dust generation and accumulation. Do not ingest or inhale. Avoid contact with
eyes, skin, and clothing. Use with adequate ventilation.

**Precautions To Be Taken in
Storing:**

Store in a cool, dry place. Store in a tightly closed container. Keep away from acids.
Keep container tightly closed in a dry and well-ventilated place. Hygroscopic. Never
allow product to get in contact with water during storage. Do not store near acids.
Moisture sensitive.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	No data.	No data.	No data.
51580-86-0	1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt {Dichloroisocyanuric acid sodium salt dihydrate}	No data.	No data.	No data.
Respiratory Equipment (Specify Type):		Respirator protection is not normally required.		
Eye Protection:		Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.		
Protective Gloves:		Wear appropriate protective gloves to prevent skin exposure.		
Other Protective Clothing:		Wear appropriate protective clothing to prevent skin exposure.		
Engineering Controls (Ventilation etc.):		Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.		
Work/Hygienic/Maintenance Practices:		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Environmental Exposure Controls:		Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.		

METALIST

9. Physical and Chemical Properties

Physical States:	[] Gas [] Liquid [X] Solid	
Appearance and Odor:	White granular powder Chlorine odor.	
Melting Point:	No data.	
Boiling Point:	No data.	
Autoignition Pt:	No data.	
Flash Pt:	No data.	
Explosive Limits:	LEL: No data.	UEL: No data.
Specific Gravity (Water = 1):	No data.	
Vapor Pressure (vs. Air or mm Hg):	No data.	
Vapor Density (vs. Air = 1):	No data.	
Evaporation Rate:	No data.	
Solubility in Water:	No data.	
Percent Volatile:	No data.	

10. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Incompatible materials, dust generation, Excess heat.
Incompatibility - Materials To Avoid:	Acids, Strong acids.
Hazardous Decomposition or Byproducts:	Carbon monoxide, Carbon dioxide, oxides of phosphorus, formed under fire conditions. Sodium oxides, silicon oxides.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. Toxicological Information

Toxicological Information:	No data available.				
Sensitization:	No data available.				
CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	n.a.	n.a.	n.a.	n.a.
51580-86-0	1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt {Dichloroisocyanuric acid sodium salt dihydrate}	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

	No data available.
Results of PBT and vPvB assessment:	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Persistence and Degradability:	No data available.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.

METALIST

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.
RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated.
DOT Hazard Class: None
UN/NA Number: None

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	No	No	No
51580-86-0	1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt {Dichloroisocyanuric acid sodium salt dihydrate}	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
51580-86-0	1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt {Dichloroisocyanuric acid sodium salt dihydrate}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No

16. Other Information

Revision Date: 12/28/2017
Preparer Name: Regulatory Affairs

Hazard Rating System:

HEALTH	2
FLAMMABILITY	0
REACTIVITY	1
PPE	B

HMIS:

Additional Information About This Product: No data available.

Company Policy or Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.